

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,936,394 B2
DATED : August 30, 2005
INVENTOR(S) : Kenji Okado et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [56], **References Cited**, FOREIGN PATENT DOCUMENTS,
"3610231 A" should read -- 36-10231 A -- and
"56159654 A" should read -- 56-159654 A --.

Column 1,

Line 38, "JP=A" should read -- JP-A --.

Column 2,

Line 34, "an" should read -- and --; and
Line 50, "having," should read -- having --.

Column 4,

Line 14, "15-6 μm ," should read -- 15-60 μm , --; and
Line 42, "images" should read -- image --.

Column 5,

Line 34, "particularly" should read -- particularly --.
Line 59, " $\text{MO}\cdot\text{Fe}_2\text{O}_3$ " should read -- $\text{MO}\cdot\text{Fe}_2\text{O}_3$ --; and
Line 60, " $\text{M}\cdot\text{Fe}_2\text{O}_4$ " should read -- $\text{M}\cdot\text{Fe}_2\text{O}_4$ --.

Column 8,

Line 50, "an" should read -- a --.

Column 9,

Line 2, "as." should read -- as --; and
Line 39, "at 6 10," should read -- at 6-10, --.

Column 12,

Line 24, " γ -aminopropyltriethoxyslane," should read
-- γ -aminopropyltriethoxysilane, --.

Column 13,

Line 62, "3-8 μm ," should read -- 3-8 μm . --.

Column 14,

Line 48, "3 μm)" should read -- 3.0 μm) --.

Column 16,

Line 16, "83," should read -- 803, --;
Line 49, "meta-containing" should read -- metal-containing --; and
Line 51, "salts:" should read -- salts; --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,936,394 B2
DATED : August 30, 2005
INVENTOR(S) : Kenji Okado et al.

Page 2 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17,

Line 28, "an" should read -- and --.

Column 18,

Line 52, "3-30 mPa.sec." should read -- 3-30 mPa·sec. --; and
Line 54, "damage" should read -- damaged --.

Column 19,

Line 12, "blended" should read -- blended and --;
Line 35, "use a" should read -- use --; and
Line 64, "inframmability" should read -- inflammability --.

Column 23,

Line 18, "rage" should read -- range --; and
Line 41, "(_{SBET})" should read -- (_{BET}) --.

Column 24,

Line 1, "as" should read -- as to --;
Line 4, "represented" should read -- represented in --; and
Line 16, "divinylclorosilane," should read -- divinylchlorosilane, --.

Column 25,

Line 62, "FIG." should read -- FIG. 1 --; and
Line 65, "enclose" should read -- encloses --.

Column 28,

Line 2, "of repetition" (first occurrence) should be deleted.

Column 29,

Line 15, "appropriate" should read -- appropriately --;
Line 21, "ordinary" should read -- ordinarily --; and
Line 47, "drum 10" should read -- drum 101. --.

Column 32,

Line 62, "roller 8" should read -- roller 81. --.

Column 33,

Line 26, "1 ml/l-CaCl₂" should read -- 1.0 ml/l-CaCl₂ --;
Line 28, "pH 6" should read -- pH 6.2 --; and
Line 56, "6.2" should read -- 6.2. --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,936,394 B2
DATED : August 30, 2005
INVENTOR(S) : Kenji Okado et al.

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 34,

Line 11, "95 m/g" should read -- 95 m²/g --; and
Line 13, "100 wt. part" should read -- 100 wt. parts --.

Column 37,

Line 49, "isoropoxytriisostearoyl" should read -- isopropoxytriisostearoyl --.

Column 38,

Line 24, "32° C./90%" should read -- 32.5° C./90% --.

Column 39,

Line 15, "20" should be deleted.

Column 40,

Line 22, "attributable" should read -- attributable to --.

Column 41,

Line 37, "57 liter" should read -- 57 liters --;
Line 39, "9%" should read -- 9.9% --;
Line 46, "6.5 liter" should read -- 6.5 liters -- and "aqueous" should read -- aqueous solution --; and
Line 60, "Hydiophobic" should read -- Hydrophobic --.

Column 42,

Line 2, "was" should read -- were --;
Line 3, "1 liter-plastic" should read -- 1 liter plastic --;
Line 36, "METTER" should read -- METER --;
Line 39, "include" should read -- includes --;
Line 57, "57 liter" should read -- 57 liters --; and
Line 66, "6.5 liter" should read -- 6.5 liters --.

Column 43,

Line 6, "10 liter" should read -- 10 liters --.

Column 45,

Line 41, "was" should read -- were --;
Line 48, "γ-aminopropyltrimethoxysilane" should read -- γ-aminopropyltrimethoxysilane --; and
Line 64, "γ-aminopropyltri-methoxysilane" should read -- γ-aminopropyltrimethoxysilane --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,936,394 B2
DATED : August 30, 2005
INVENTOR(S) : Kenji Okado et al.

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 47,

Table 4, "SG_r" should read -- SG_t --.

Column 49,

Lines 29 and 33, "hexamethyl-disilazane)." should read -- hexamethyldisilazane). --;
Lines 40 and 46, "copper-phthalocyanine" should read -- copper phthalocyanine --;
Line 51, "pigment instead of the" should read -- pigment --;
Line 52, "copper-phthalocyanine pigment." should be deleted; and
Line 64, "foam" should read -- form --.

Column 50,

Line 2, "FIG." should read -- FIG. 5 --;
Line 8, "apply" should read -- applying --;
Line 9, "VAC" should read -- V_{AC} --; and
Line 32, "image a" should read -- image (a --.

Column 51,

Lines 3 and 11, "formation" should read -- formation on --;
Line 5, "wax" should read -- was --; and
Lines 49 and 66, "than" should read -- than in --.

Column 52,

Lines 28, 42, 51 and 63, "than" should read -- than in --.

Column 53,

Line 12, "than" should read -- than in --.

Column 54,

Line 52, "than" should read -- than in --; and
Table 5, "Image density (DI. 5)" should read -- Image density (I.D. 1.5) --.

Column 55,

Table 5, "Image density (DI. 5)" should read -- Image density (I.D. 1.5) --.

Column 57,

Line 38, "comprise" should read -- comprises --;
Line 47, "(δ_{1000})" should read -- (σ_{1000}) --;
Lines 49 and 50, "(δ_r)" should read -- (σ_r) --;
Line 54, "stated" should read -- state --;
Lines 59 and 64, " δ_r " should read -- σ_r --;
Line 62, " $1.0 \leq d/\delta_r < 30.0$." should read -- $1.0 \leq d/\sigma_r < 30.0$ --; and

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,936,394 B2
DATED : August 30, 2005
INVENTOR(S) : Kenji Okado et al.

Page 5 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 57 (cont'd).

Line 67, " $5.1 \leq d/\delta_r \leq 12.3$." should read -- $5.0 \leq d/\sigma_r \leq 12.3$. --.

Column 58.

Line 44, "2-50 wt" should read -- 2-50 wt. --.

Column 59.

Line 4, " (δ_{1000}) " should read -- (σ_{1000}) --;

Lines 6 and 34, " (δ_r) " should read -- (σ_r) --;

Line 24, "comprise" should read -- comprises --;

Line 38, "stated" should read -- state --;

Lines 43 and 49, " δ_r " should read -- σ_r --;

Line 52, " $5.1 \leq d/\delta_r \leq 12.3$." should read -- $5.1 \leq d/\sigma_r \leq 12.3$. --; and

Line 59, " $1.0 \leq d/\delta_r < 30.0$." should read -- $1.0 \leq d/\sigma_r < 30.0$. --.

Column 60.


Line 37, "2-50 wt" should read -- 2-50 wt. --;

Line 43, " (δ_{1000}) " should read -- (σ_{1000}) --; and

Line 45, " (δ_r) " should read -- (σ_r) --.

Signed and Sealed this

Seventh Day of February, 2006



JON W. DUDAS
Director of the United States Patent and Trademark Office